


# Supplemental Labeling

RT Date: 7-8-94



# Poast<sup>®</sup> herbicide

## Postemergence Grass Herbicide

For homeowner use on and around:

- |            |                         |
|------------|-------------------------|
| Flowers    | Fruits*                 |
| Evergreens | Vegetables*             |
| Shrubs     | Ornamental Groundcovers |
| Trees      | Bedding Plants          |

\*See Crop Table List

- Systematic selective herbicide kills weedy grasses without injuring desirable plants.
- **Controls:** Bermudagrass, crabgrass, foxtails, quackgrass, and many other weedy grasses.
- Concentrate makes 8 gallons of spray solution.

### Active Ingredient:

2-[1-(ethoxyimino) butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one**	18%
Inert Ingredients:	82%
<b>Total</b>	<b>100%</b>

\*\*Equivalent to 1.5 pounds per gallon

EPA Reg. No. 7969-58

**KEEP OUT OF REACH OF CHILDREN.**

## WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

### Statement of Practical Treatment

If in eyes: Immediately wash eyes with running water for 15 minutes. If irritation develops, consult a physician.

If on skin: Wash affected areas with soap and water. If irritation develops, consult a physician.

If swallowed: DO NOT INDUCE VOMITING. Dilute with water and get immediate medical attention. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

If inhaled: Move to fresh air. Aid in breathing, if necessary and get immediate medical attention.

**Net contents 8 fluid ounces**

Agricultural Products

# BASF

**Precautionary Statements  
Hazards to Humans (and  
Domestic Animals)**

Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Harmful if swallowed.

**Re-entry statement**

Do not allow people or pets to come into contact with treated areas until spray has dried.

**Personal Protective Equipment:**

Some materials that are chemically resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

**Applicators and other handlers must wear:**

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves, such as barrier laminate, or viton ≥ 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant apron when cleaning equipment, mixing, and loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**User Safety Recommendations:**

**Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Environmental Hazards:**

For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

**Endangered Species Concerns**

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

**Directions For Use**

It is a violation of federal law to use this product in a manner inconsistent with this labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.**

**Poast® herbicide** is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See appendix for listing.) It can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

**Poast** can also be used around listed fruit and vegetable areas wherever listed weedy grasses occur. Use only tank type sprayers.

**Weedy Grasses Controlled:**

**Poast** kills most annual and hard to-kill perennial grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds\*.

- |                 |                          |
|-----------------|--------------------------|
| Barnyardgrass   | Junglerice               |
| Bermudagrass    | Lovegrass                |
| Broadleaf       | Orchardgrass,            |
| Signalgrass     | Seedling                 |
| Crabgrass       | Quackgrass               |
| , Large         | Tall Fescue              |
| , Smooth        | Seedling                 |
| Fall Panicum    | Texas Panicum            |
| Foxtails, Giant | Shattercane/<br>Wildcane |
| , Green         | Wild Proso Millet        |
| , Yellow        | Wirestem Muhly           |
| Goosegrass      | Witchgrass               |
| Johnsongrass    | Woolly cupgrass          |
| , Seedling      |                          |
| , Rhizome       |                          |

**Note:** This product does not control sedges (including nutsedge or nutgrass) annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant of **Poast**.

**When to apply**

Apply any time grassy weeds are actively growing not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. They turn yellow and die within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slows activity.

**Dilution Table  
Amount of Poast (concentrate) and Oil concentrate to use**

Water to be Used (gallons)	Amount of Poast		Amount of Oil Concentrate		Coverage in Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	1	1,800
3	3	6	3	3	5,500
5	5	10	5	5	9,100
8	8	16	8	8	14,600

One gallon of spray will treat 1,800 square feet of area.

\* To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

**How to apply**

**With hose-end sprayers:**

**A. No water dilution/premixing needed.** Determine how much area is to be treated in square feet. Pour 1 fluid ounce of **Poast** and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

**B. Water dilution/premixing needed.** Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

**With tank sprayers:**

Mix 1 fluid ounce of **Poast** plus 1 fluid ounce of oil concentrate per 1 gallon of water and spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer. **Important:** For spot treating grassy weeds near lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

**For use on flowers, bedding plants, evergreens, shrubs, trees and ornamental ground-covers**

**Poast** may be applied "over-the-top" of desirable plants infested by weedy grasses or as a directed spray to weedy grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See **Appendix** for tolerant plant listing.

Most ornamental species tested have been found tolerant of **Poast**; however, use with caution around the following plants as they may be damaged if foliage is contacted by the spray: Azaleas (var. snow), Japanese Privet, Potentilla, Snow-in-Summer, Red Oak and White Oak and ornamental grasses.

**Poast** may also be used on the following nonbearing food plants. Do not apply within 1 year of harvest.

- |              |              |
|--------------|--------------|
| Almonds      | Nectarines   |
| Apricots     | Peaches      |
| Asparagus    | Plums        |
| Avocados     | Pomegranates |
| Blackberries | Prunes       |
| Cherries     | Walnuts      |
| Figs         |              |

**For use on fruit and vegetables areas (use only with tank type sprayers).**

**Poast** may be used on the fruits and vegetables listed in the **Fruit and Vegetable Table**. Do not apply on or around any fruit and vegetable not listed on this label, especially sweet corn. Applications on and around tolerant vegetables and fruit should be applied with only a tank-type sprayer. A second application may be made to all listed vegetables and fruits except peanut and strawberry.

The quantities presented in the **Dilution Table** do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

**Storage and Disposal**

**Storage:** Keep pesticide in original container. Do not put concentrate or dilute spray into food, feed or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray.

**Disposal:** Securely wrap original container in several layers of newspaper and discard in trash.

**Container:** Do not re-use empty bottle.

**Notice:** Buyer assumes all liability, including personal injury and property damage, which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

**Fruit and Vegetable Table**

Crop	Minimum number of days from last application to harvest
Apple	14
Artichoke (California only)	7
Beans, green	30
, dry	15
Blueberry*	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Cauliflower	30
Celery	30
Citrus*	15
Crabapple	14
Cucumber	14
Eggplant	20
Grape	50
Lentils*	50
Lettuce, head	50
, leaf	15
Muskmelon	14
Onion, garlic	30
Peanut†	40
Pear	14
Peas, green	15
, dry	30
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Spinach	15
Squash (all)	14
Strawberry†	7
Tomato*	20
Watermelon	14

\* Not for use in California.

† Use no more than one (1) application per season. Up to two (2) applications per season may be made on all other plants.

**Trees**  
**Listed by common name**

- Acacia, Knife Leaf  
(*Acacia cultriformis*)
- Arborvitae, Eastern (var: Teehny)  
(*Thuja occidentalis*)
- Arborvitae, Berkman's, Oriental  
(*Thuja Orientalis*)
- Ash, Green  
(*Fraxinus pennsylvanicum*)
- Ash, Mountain  
(*Sorbus aucuparia*)
- Ash, Mountain  
(*Sorbus americana decora*)
- Ash, White  
(*Fraxinus americana*)
- Basswood, American  
(*Tilia americana*)
- Berkman's, Oriental  
(*Thuja orientalis*)
- Birch  
(*Betula sp.*)
- Birch, Asian White (var. Japonica)  
(*Betula platyphylla*)
- Birch, European White  
(*Betula pendula*)
- Birch, paper  
(*Betula papyrifolia*)
- Birch, River, Black or Red  
(*Betula nigra*)
- Black Locust  
(*Robinia pseudoacacia*)
- Bottle-brush  
(*Callistemon lanceolatus*)
- Bottle Tree  
(*Brachychiton populneus*)
- Brisbane Box Tree  
(*Tristania conferta*)
- Cajeput Tree  
(*Melaleuca quinquenervia*)
- Carob Tree  
(*Ceratonia siliqua*)
- Carrot Wood  
(*Cupaniopsis anacardioides*)
- Catalpa, Southern  
(*Catalpa bignonioides*)
- Cherry Black  
(*Prunus serotina*)
- Cherry, Carolina  
(*Prunus caroliniana "compacta"*)
- Crabapple, Flowering  
(var Dalgo, Radiant, Red Splendor, Royalty,  
Vanguard, Sylvestris, Domestic)  
(*Malus sp.*)
- Cypress, False  
(*Chamaecyparis pisifera*)
- Cypress, Leyland  
(*Cupressocyparis leylandii*)
- Cypress, Italian  
(*Cupressus sempervirens*)
- Dogwood, Flowering  
(*Cornus florida*)
- Dogwood, Silky  
(*Cornus amonum*)
- Dogwood, Pagoda  
(*Cornus alternifolia*)
- Elm, Chinese Evergreen  
(*Ulmus parvifolia*)

**Listed by scientific name**

- Abies balsamea*  
(Fir, White)
- Abies concolor*  
(Fir, White)
- Abies fraseri*  
(Fir, Frasier)
- Abies sp.*  
(Fir)
- Acacia baileyana (purpurea)*  
(Purpleleaf)
- Acacia cultriformis*  
(Acacia, Knife leaf)
- Acer palmatum*  
(Maple, Japanese)
- Acer rubrum*  
(Maple, Red)
- Acer saccharinum*  
(Maple, Silver)
- Agonis flexuosa*  
(Willow, Peppermint)
- Albizia julibrissin*  
(Mimosa tree, silk tree)
- Arbutus unedo*  
(Strawberry Tree)
- Arecastrum romanzoffianum*  
(Queen palm)
- Betula nigra*  
(Birch, River, Black or Red)
- Betula papyrifolia*  
(Birch, paper)
- Betula pendula*  
(Birch, European White)
- Betula platyphylla*  
(Birch, Asian White)  
(var: Japonica)
- Betula sp.*  
(Birch)
- Brachychiton populneus*  
(Bottle tree)
- Callistemon lanceolatus*  
(Bottle-brush)
- Cataipa bignonioides*  
(Catalpa, Southern)
- Celtis occidentalis*  
(Hackberry, Common)
- Ceratonia siliqua*  
(Carob tree)
- Chamaecyparis pisifera*  
(Cypress, False)
- Chamaerops humilis*  
(Palm, Mediterranean fan)
- Cornus alternifolia*  
(Dogwood, Pagoda)
- Cornus amonum*  
(Dogwood, Silky)
- Cornus florida*  
(Dogwood, Flowering)
- Cupaniopsis anacardioides*  
(Carrot Wood)
- Cupressocyparis leylandii*  
(Cypress, Leyland)
- Cupressus sempervirens*  
(Cypress, Italian)
- Cycas revoluta*  
(Palm, Sago)
- Elaeagnus angustifolia*  
(Olive, Russian)
- Eriobotrya japonica*  
(Loquat)

**Trees (continued)**  
**Listed by common name**

- Eucalyptus
  - (*Eucalyptus robusta*)
  - (*Eucalyptus lehmannii*)
  - (*Eucalyptus nicholi*)
  - (*Eucalyptus granis*)
- Fir
  - (*Abies* sp.)
- Fir, Douglas
  - (*Pseudotsuga menziesii*)
- Fir, Frasier
  - (*Abies fraseri*)
- Fir, White
  - (*Abies concolor*)
- Goldenrain Tree
  - (*Koelreuteria paniculata*)
- Guava
  - (*Psidium littorale*)
- Guava, Pineapple
  - (*Feijoa sellowiana*)
- Gum, Blue
  - (*Eucalyptus globulus*)
- Gum, Lemon-scented
  - (*Eucalyptus citriodera*)
- Gum, Red Box
  - (*Eucalyptus polyanthemos*)
- Hackberry, Common
  - (*Celtis occidentalis*)
- Hemlock, Canadian
  - (*Tsuga canadensis*)
- Holly, Chinese
  - (var: *Bufordii*, *Rotunda*)
  - (*Ilex cornuta*)
- Holly, Hybrid (var *Nellie Stevens*)
  - (*Ilex spares*)
- Holly, Japanese
  - (var: *Convexa*, *Compacta*, *Helleri*, *Hoogendorn*)
  - (*Ilex crenata*)
- Holly, Yaupon
  - (*Ilex vomitoria*)
- Ironbark, Red
  - (*Eucalyptus sideroxylon*)
- Jacaranda
  - (*Jacaranda mimosifolia*)
- Kentucky Coffee Tree
  - (*Gymnocladus dioicus*)
- Larch, European
  - (*Larix europa*)
- Laurel, Indian
  - (*Ficus microcarpa nitida*)
- Linden
  - (*Tilia americana*)
- Linden, Littleleaf
  - (*Tilia cordata*)
- Locust, Honey
  - (*Gleditsia triacanthos inermis*)
- Loquat
  - (*Eriobotrya japonica*)
- Magnolia Southern
  - (*Magnolia grandiflora*)
- Maple, Red
  - (*Acer rubrum*)
- Maple, Japanese
  - (*Acer palmatum*)
- Maple, Silver
  - (*Acer saccharinum*)
- Mimosa Tree (silk tree)
  - (*Albizia julibrissin*)

**Listed by scientific name**

- Eucalyptus citriodera*
  - (Gum, Lemon-scented)
- Eucalyptus globulus*
  - (Gum, Blue)
- Eucalyptus granis*
  - (Eucalyptus)
- Eucalyptus lehmannii*
  - (Bushy Yate)
- Eucalyptus nicholi*
  - (Nichol's Willow)
  - (Leafed Peppermint)
- Eucalyptus polyanthemos*
  - (Gum, Red Box, Silver Dollar)
- Eucalyptus robusta*
  - (Eucalyptus)
- Eucalyptus sideroxylon*
  - (Ironbark, Red)
- Feijoa sellowiana*
  - (Pineapple, Guava)
- Ficus benjamina*
  - (Weeping Fig, Exotica, Weeping Banyan)
- Ficus microcarpa nitida*
  - (Laurel, Indian)
- Fraxinus americana*
  - (Ash, White)
- Fraxinus pennsylvanicum*
  - (Ash, Green)
- Geijera parviflora*
  - (Willow, Australian)
- Gleditsia triacanthos inermis*
  - (Locust, Honey)
- Gymnocladus dioicus*
  - (Kentucky Coffee Tree)
- Ilex cornuta*
  - (Holly, Chinese)
  - (var: *Bufordii*, *Rotunda*)
- Ilex crenata*
  - (Holly, Japanese)
  - (var *Compacta*, *Convexa*, *Helleri*, *Hoogendorn*)
- Ilex spares*
  - (Holly, Hybrid)
  - (var: *Nellie Stevens*)
- Ilex vomitoria*
  - (Holly, Yaupon)
- Jacaranda mimosifolia*
  - (Jacaranda)
- Juglans nigra*
  - (Walnut, Black)
- Koelreuteria paniculata*
  - (Goldenrain Tree)
- Larix europa*
  - (Larch, European)
- Leptospermum laevigatum*
  - (Tea tree, Australian)
- Liquidambar styraciflua*
  - (Gum, Sweet)
- Liriodendron tulipifera*
  - (Popular, Yellow, Tulip Tree)
- Maclura pomifera*
  - (Osage Orange)
- Magnolia grandiflora*
  - (Magnolia, Southern)
- Malus* sp.
  - (Crabapple, Flowering)
  - (var: *Dalgo*, *Domestic*, *Sylvestris*, *Radiant*, *Vanguard*, *Royalty*, *Red Splendor*)
- Melaleuca quinquenervia*
  - (Cajeput Tree)

**Trees (continued)  
Listed by common name**

- Myoporum  
(*Myoporum laetum*)
- New Zealand Christmas Tree  
(*Metrosideros excelsus*)
- Oak  
(*Quercus*)
- Oak, Water  
(*Quercus nigra*)
- Oak, Willow  
(*Quercus phellos*)
- Olive Tree  
(*Olea europaea*)
- Olive, Russian  
(*Elaeagnus angustifolia*)
- Orchid Tree, Purple  
(*Bauhinia variegata*)
- Osage Orange  
(*Maclura pomifera*)
- Palm, Mediterranean fan  
(*Chamaerops humilis*)
- Palm, Pygmy Date  
(*Phoenix roebelenii*)
- Palm, Queen  
(*Arecastrum romanzoffianum*)
- Palm, Sago  
(*Cycas revoluta*)
- Palm, Windmill  
(*Tracheocarpus fortunei*)
- Palo Verde, Green  
(*Parkinsonia aculeata*)
- Paulownia Royal  
(*Paulownia tomentosa*)
- Pear, Common  
(*Pyrus communis*)
- Pear, Evergreen  
(*Pyrus kawakamii*)
- Pear, Ussurian  
(*Pyrus ussuriensis*)
- Pepper, Brazilian  
(*Schinus terebinthifolius*)
- Pine, Aleppo  
(*Pinus halepensis*)
- Pine, Austrian  
(*Pinus nigra*)
- Pine, Canary Island  
(*Pinus canariensis*)
- Pine, Caribbean Slash  
(*Pinus caribean*)
- Pine, Italian Stone  
(*Pinus pinea*)
- Pine, Jack  
(*Pinus banksiana*)
- Pine, Japanese Black  
(*Pinus thunbergii*)
- Pine, Loblolly  
(*Pinus taeda*)
- Pine, Mugho  
(*Pinus mugho*)
- Pine, Ponderosa, Western yellow  
(*Pinus ponderosa*)
- Pine, Red  
(*Pinus resinosa*)
- Pine, Scotch  
(*Pinus sylvestris*)
- Pine, Shore  
(*Pinus contra*)
- Pine, Slash  
(*Pinus ellottii*)

**Listed by scientific name**

- Metrosideros excelsus*  
(New Zealand Christmas Tree)
- Mimosa pudica*  
(Sensitive Plant)
- Myoporum laetum*  
(Myoporum)
- Olea europaea*  
(Olive Tree)
- Parkinsonia aculeata*  
(Palo Verde, Green)
- Paulownia tomentosa*  
(Paulownia, Royal, Empress Tree)
- Phoenix roebelenii*  
(Palm, Pygmy Date)
- Picea abies*  
(Spruce, Norway)
- Picea glauca*  
(Spruce, White)
- Picea glauca*  
(Spruce, Black Hills)  
(var: *Densata*)
- Picea pungens*  
(Spruce, Colorado Blue)
- Pinus banksiana*  
(Pine, Jack)
- Pinus canariensis*  
(Pine, Canary Island)
- Pinus caribean*  
(Pine, Caribbean slash)
- Pinus contra*  
(Pine, Shore)
- Pinus ellottii*  
(Pine, Slash)
- Pinus halepensis*  
(Pine, Aleppo)
- Pinus mugo mugo*  
(Pine, Mugho)
- Pinus nigra*  
(Pine, Austrian Black)
- Pinus palustris*  
(Pine, Southern, Long Leaf)
- Pinus parviflora*  
(Pine, Japanese White)
- Pinus pinea*  
(Pine, Italian Stone)
- Pinus ponderosa*  
(Pine, Ponderosa, Yellow)
- Pinus resinosa*  
(Pine, Red)
- Pinus strobus*  
(Pine, White)
- Pinus sylvestris*  
(Pine, Scotch)
- Pinus taeda*  
(Pine, Loblolly)
- Pinus thunbergiana*  
(Pine, Japanese Black)
- Pinus virginiana*  
(Pine, Virginia)
- Pittosporum phillyraeoides*  
(Willow, Desert)
- Platanus occidentalis*  
(Sycamore)
- Podocarpus macrophyllus*  
(Pine, Yew)
- Populus alba*  
(Poplar, White)

**Trees (continued)**  
**Listed by common name**

- Pine, Southern  
(*Pinus palustris*)
- Pine, Virginia  
(*Pinus virginiana*)
- Pine, White  
(*Pinus strobus*)
- Pine, White, Japanese  
(*Pinus parviflora*)
- Pine, Yew  
(*Podocarpus macrophyllus*)
- Plum, Wild  
(*Prunus americana*)
- Poplar, Hybrid  
(*Populus alba*)
- Popular, Yellow, Tulip Tree  
(*Liriodendron tulipifera*)
- Purpleleaf, Bailey Acacia  
(*Acacia baileyana*)
- Redwood, Coast  
(*Sequoia sempervirens*)
- Sandcherry, Western  
(*Prunus besseyi*)
- Sensitive Plant  
(*Mimosa pudica*)
- Silk Tree  
(*Albizia julibrissin*)
- Spruce, Black Hills (var. *Densata*)  
(*Picea glauca*)
- Spruce, Colorado Blue  
(*Picea pungens*)
- Spruce, Norway  
(*Picea abies*)
- Spruce, White  
(*Picea glauca*)
- Strawberry Tree  
(*Arbutus unedo*)
- Sumac, Standard, African  
(*Rhus lancea*)
- Sweet Gum  
(*Liquidambar styraciflua*)
- Sycamore  
(*Platanus occidentalis*)
- Tea Tree, Australian  
(*Leptospermum laevigatum*)
- Tipu Tree  
(*Tipuana tipu*)
- Walnut, Black  
(*Juglans nigra*)
- Weeping Fig, Exotica  
(*Ficus benjamina*)
- Willow  
(*Salix matsudana tortuosa*)
- Willow, Australian  
(*Geijera parviflora*)
- Willow, Desert  
(*Pittosporum phillyraeoides*)
- Willow, Peppermint  
(*Agonis flexuosa*)
- Yate, Bushy  
(*Eucalyptus lehmannii*)
- Yew, English  
(*Taxus baccata*)

**Listed by scientific name**

- Prunus americana*  
(Plum, Wild)
- Prunus besseyi*  
(Sandcherry, Western)
- Prunus caroliniana "compacta"*  
(Cherry, Carolina)
- Prunus mahaleb*
- Prunus myro*
- Prunus serotina*  
(Cherry, Black)
- Pseudotsuga menziesii*  
(Fir, Douglas)
- Psidium littorale*  
(Guava)
- Pyrus communis*  
(Pear, Common)
- Pyrus kawakamii*  
(Evergreen Pear)
- Pyrus ussuriensis*  
(Pear, Ussurian)
- Quercus*  
(Oak)
- Quercus nigra*  
(Oak, Water)
- Quercus phellos*  
(Oak, Willow)
- Rhus lancea*  
(Sumac, African Standard)
- Robinia pseudoacacia*  
(Locust, Black)
- Salix matsudana tortuosa*  
(Willow)
- Schinus terebinthifolius*  
(Pepper, Brazilian)
- Sequoia sempervirens*  
(Coast, Redwood)
- Sorbus aucuparia*  
(Ash, Mountain)
- Sorbus americana decora*  
(Ash, Mountain)
- Taxus baccata*  
(Yew, English)
- Thuja occidentalis*  
(Arborvitae, American)  
(var: Teehny)
- Thuja orientalis*  
(Berkmans, Oriental Arborvitae)
- Tilia americana*  
(Linden, American Basswood)
- Tilia cordata*  
(Linden, Little-leaf)
- Tipuana tipu*  
(Tipu Tree)
- Tracheocarpus fortunei*  
(Palm, Windmill)
- Tristania conferta*  
(Brisbane Box Tree)
- Tsuga canadensis*  
(Hemlock, Canadian)
- Ulmus parvifolia*  
(Elm, Chinese Evergreen)

**Shrubs  
Listed by common name**

- Abelia, Glossy  
(*Abelia grandiflora*)
- Acacia, Bailey  
(*Acacia baileyana*)
- Acacia, Knife Leaf  
(*Acacia cultriformis*)
- Acacia, Prostrate  
(*Acacia redolens*)
- Acacia, Sydney Golden Wattle  
(*Acacia longifolia*)
- Andromeda  
(*Pieris japonica*)
- Arborvitae, Oriental  
(*Platycladus orientalis*)
- Arrowwood, Southern  
(*Viburnum dentatum*)
- Azalea, Mollis hybrid  
(*R. x kosterianum*)
- Azalea, Northern Lights Hybrid  
(*R x kosterianum x R prinophyllum*)
- Bamboo, Heavenly  
(*Nandina domestica*)
- Barberry, Japanese  
(*Berberis thunbergii*)
- Barberry, Korean  
(*Berberis koreana*)
- Barberry, Redleaf  
(*Berberis virginian*)
- Bird of Paradise Bush  
(*Caesalpinia gillesii*)
- Bluebeard  
(*Caryopteris clandonensis*)
- Boxwood, Common  
(*Buxus sempervirens*)
- Boxwood, African  
(*Myrsine africana*)
- Boxwood, Japanese  
(var: *Japonica*)  
(*Buxus microphylla*)
- Buckthorn, Glossy, Alder  
(*Rhamnus frangula*)
- Camellia  
(*Camellia japonica*)
- Camellia  
(*Camellia sasanqua*)
- Cedar, Eastern Red  
(var: *Pyramidiformus, canearit*)  
(*Juniperus virginiana*)
- Cherry, Brush  
(*Eugenia myrtifolia*)
- Cherry, Manchu, Nanking  
(*Prunus tomentosa*)
- Chokecherry sp.  
(*Aronia meloelata*)
- Copper Plant, Caribbean  
(*Euphoria cotinifolia*)
- Cotoneaster, Bearberry  
(*Cotoneaster dammerii*)
- Cotoneaster, Cranberry  
(*Cotoneaster apiculata*)
- Cotoneaster 'lowfast'
- Cotoneaster, Peking  
(*Cotoneaster acutifolia*)
- Coyote Bush  
(*Baccharis pilularis*)
- Cranberry Bush, American  
(*Viburnum trilobum*)
- Cranberry Bush, Golden  
(*Viburnum opulus aureum*)

**Listed by scientific name**

- Abelia grandiflora*  
(Abelia, Glossy)
- Acacia baileyana*  
(Acacia, Bailey)
- Acacia cultriformis*  
(Acacia, Knife Leaf)
- Acacia longifolia*  
(Acacia, Sydney Golden Wattle)
- Acacia redolens*  
(Acacia, Prostrate)
- Alyogyne huegelli*  
(Hibiscus, Blue)
- Amelanchier alnifolia*  
(Serviceberry, Saskatoon)  
(var: Regent)
- Amelanchier laevis*  
(Serviceberry, Allegheny)
- Aronia meloelata*  
(Chokecherry sp.)
- Baccharis pilularis*  
(Coyote Bush)
- Berberis koreana*  
(Barberry, Korean)
- Berberis thunbergii*  
(Barberry, Japanese)  
(var: Crimson pygmy)
- Berberis virginian*  
(Barberry, Redleaf)
- Brunfelsia calycina*  
(Yesterday-Today-and-Tomorrow)
- Buxus microphylla*  
(Boxwood, Japanese)  
(var: Japonica)
- Buxus sempervirens*  
(Boxwood, Common)
- Caesalpinia gillesii*  
(Bird of Paradise Bush)
- Calliandra haematocephala*  
(Pink Powder Puff)
- Camellia japonica*  
(Camellia)
- Camellia sasanqua*  
(Camellia)
- Carissa grandiflora*  
(Palm, Natal)  
(var: Green Carpet, Tuttle)
- Caryopteris clandonensis*  
(Bluebeard)
- Ceanothus griseus*  
(Mountain lilac, Carmel Creeper)
- Cistus purpureus*  
(Orchid rockrose)
- Coprosma 'coppershine'*
- Coprosma repens*  
(Mirror Plant)
- Cornus stolonifera*  
(Dogwood, Red Osier)
- Correa pulchella*  
(Fuchsia, Australian)
- Cortaderia selloana*  
(Pampas grass)
- Cotoneaster acutifolius*  
(Cotoneaster, Peking)
- Cotoneaster apiculata*  
(Cotoneaster, Cranberry)
- Cotoneaster dammerii*  
(Cotoneaster, Bearberry)  
(var: Coral Beauty)
- Cotoneaster 'lowfast'*



**Shrubs (continued)**  
**Listed by common name**

- Crape Myrtle  
(*Lagerstromia indica*)
- Cunant, Alpine  
(*Ribes alpinum*)
- Dogwood, Red Osier  
(*Cornus stolonifera*)
- Elaeagnus  
(*Elaeagnus umbellata*)
- Escallonia  
(*Escallonia fradesii*)  
(*Escallonia rubia*)
- Euonymus, Evergreen  
(var. Golden, Silver King)  
(*Euonymus japonica*)
- Euonymus, Winged  
(*Euonymus alata*)
- Fig, Creeping  
(*Ficus repens*)
- Firethorn  
(*Pyracantha graber*)
- Forsythia, Greenstem  
(*Forsythia viridissima bronxeniss*)
- Flax, New Zealand  
(*Phormium tenax*)
- Fuchsia, Australian  
(*Correa pulchella*)
- Gardenia (var. Mystery, Radicans)  
(*Gardenia augusta*)  
(*Gardenia jasminoides*)
- Gardenia, Dwarf (var. Veitchii)  
(*Gardenia jasminoides*)
- Gold Vine, Guinea  
(*Hibbertia scandens*)
- Hakea  
(*Hakea proteacea*)
- Hawthorn, Indian  
(*Phaphiolepis indica*)
- Hibiscus, Blue  
(*Alyogyne huegelli*)
- Hibiscus, Chinese  
(*Hibiscus rosa-sinensis*)
- Holly, Dwarf Burford  
(var. Burfordii Nana)  
(*Ilex cornuta*)
- Honeysuckle, Bush  
(*Diervilla lonicera*)
- Honeysuckle, Cape  
(*Tecomaria capensis*)
- Hydrangea  
(*Hydrangea macrophylla*)
- Jasmine Asiatic  
(*Trachelospermum asiaticum*)
- Jasmine, Orange  
(*Murraya paniculata*)
- Jasmine, Star  
(*Trachelospermum jasminoides*)
- Jasmine, Winter  
(*Jasmine nudiflorum*)
- Jessamine, Carolina  
(*Gelsemium sempervirens*)
- Jojoba  
(*Simmondsia chinensis*)
- Juniper, Chinese (var. Maneyi, Old Gold, Phtzerana,  
Sea Green, Hekii, Nana, Torulosa, Phtzerana  
Aurea, Pfitzer, Golden Pfitzer)  
(*Juniperus chinensis*)

**Listed by scientific name**

- Diervilla lonicera*  
(Honeysuckle, Bush)
- Dodonaea viscosa*  
(Purple Hop Bush)  
(var: Purpurea)
- Duranta stenostachya*  
(Sky Flower, Brazilian)
- Elaeagnus pungens*  
(Silverberry)
- Elaeagnus umbellata*  
(Elaeagnus)
- Escallonia exoniensis*  
(Escallonia)
- Escallonia 'fradesii*  
(Escallonia)
- Escallonia rubra*  
(Escallonia)
- Eugenia myrtifolia*  
(Brush Cherry)
- Euonymus alata*  
(*Euonymus, Winged*)
- Euonymus japonica*  
(*Euonymus, Evergreen*)  
(var: Golden, Silver King)
- Euonymus kiautschovica*  
(Spindle tree)
- Euphorbia cotinifolia*  
(Copper Plant, Caribbean)
- Ficus repens*  
(Fig, Creeping)
- Forsythia viridissima bronxeniss*  
(Forsythia, Greenstem)
- Gardenia augusta*  
(Gardenia) (var: Mystery)
- Gardenia jasminoides*  
(Gardenia) (var: Mystery, Radicans)  
(Gardenia, Dwarf) (var: Veitchii)
- Gelsemium sempervirens*  
(Jessamine, Carolina)
- Grewia occidentalis*  
(Lavender, Star Plant)
- Hakea proteacea*  
(Hakea)
- Hebe 'coed'*  
(Veronica) (var: Coed)
- Heteromeles arbutifolia*  
(Toyon, California Holly)
- Hibbertia scandens*  
(Gold Vine, Guinea)
- Hibiscus rosa-sinensis*  
(Hibiscus, Chinese)
- Hydrangea macrophylla*  
(Hydrangea)
- Ilex cornuta*  
(Dwarf Burford Holly)  
(var: Burfordii Nana)
- Jasmine nudiflorum*  
(Winter Jasmine)
- Juniperus chinensis*  
(Juniper, Chinese)  
(var: Maneyi, Old Gold, Pfitzerana Sea Green,  
Hetzii, Torulosa Nana, Gold Coast, Pfitzerana  
aurea, Pfitzer, Golden Pfitzer, San Jose, San Jose  
Variegated, Blue Gold)
- Juniperus conferta*  
(Juniper, Shore) (var: Compacta)

**Shrubs (continued)**  
**Listed by common name**

- Juniper, Creeping (var. *Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown Blue Rug*)  
(*Juniperus horizontalis*)
- Juniper, Ozark  
(*Juniperus* sp.)
- Juniper, Rocky Mountain (var. *Blue Heaven, Welchii, Wichita Blue, Medova, Moffet, Pyramidal Green, Springtime, Admiral*)  
(*Juniperus scopulorum*)
- Juniper, Savin  
(var. *Skandia, Arcadia, Broadmoor, Buffalo, Pepin*)  
(*Juniperus sabina*)
- Juniper, Shore (var. *Compacta*)  
(*Juniperus conferta*)
- Juniper, Tam (var. *Tamariscifolia*)  
(*Juniperus sabina*)
- Lantana, Purple Trailing  
(*Lantana montevidensis*)
- Laurustinus  
(*Viburnum tinus*)
- Lemonade Berry  
(*Rhus integrifolia*)
- Lilac, Common Purple  
(*Syringa vulgaris purpura*)
- Liriope, Green  
(*Liriope muscari*)
- Liriope, Variegated  
(*Liriope muscari*)
- Mickey Mouse Bush  
(*Ochna serrulata*)
- Mirror Plant  
(*Coprosma repens*)
- Mock Orange  
(*Pittosporum tobira*)
- Mountain Lilac, Carmel Creeper  
(*Ceanothus griseus*)
- Myrtle, Dwarf  
(*Myrtus communis compacta*)
- Nandina, Heavenly Bamboo  
(*Nandina domestica*)
- Nannyberry  
(*Viburnum lantago*)
- Ninebark  
(*Physocarpus opulifolius*)
- Ninebark (var. *Aureus*)  
(*Physocarpus opulifolius nanus*)
- Oleander  
(*Nerium oleander*)
- Orchid, rockrose  
(*Cistus purpureus*)
- Oregon Grape  
(*Mahonia aquifolium*)
- Osmanthus, Holly-leaf  
(*Osmanthus heterophyellus*)
- Osmanthus, Sweet Olive  
(*Osmanthus fragrans*)
- Palm, Natal  
(var. *Green Carpet Tuttle*)  
(*Carissa grandiflora*)
- Pampas Grass  
(*Cortaderia selloana*)
- Photinia  
(*Photinia* sp.)
- Photinia, Fraser  
(*Photinia fraser*)
- Pink Lady  
(*Rahioleis indica*)

**Listed by scientific name**

- Juniperus horizontalis*  
(Juniper, Creeping)  
(var: *Bluechip, Hughes, Plumosa, Prince of Wales, Webberi, Wiltonii Bar Harbor, Andorra, Blue Rug, Youngstown, Variegata*)
- Juniperus scopulorum*  
(Juniper, Rocky Mountain)  
(var: *Blue Heaven, Welchii, Wichita Blue, Medova, Moffetii, Pyramidal Green, Springtime, Admiral*)
- Juniperus sabina*  
(Juniper, Savin)  
(var: *Skandia, Arcadia, Broadmoor, Buffalo, Pepin, Tamariscifolia*)
- Juniperus virginiana*  
(Cedar, Eastern Red)  
(var: *Pyramidiformus, Caneariti*)
- Juniperus* sp.  
(Juniper, Ozark)
- Lagestromia indica*  
(Crape Myrtle)
- Lantana montevidensis*  
(Purple Lantana, Trailing)
- Leptospermum laevigatum*  
(Tea Tree, Australian)
- Leptospermum scoparium*  
(Tea Tree, New Zealand)  
(var: *Rudy Glow*)
- Leucophyllum frutescens*  
(Texas Ranger)
- Ligustrum indica*  
(Privet)
- Ligustrum japonicum*  
(Privet, Waxleaf, Japanese)
- Ligustrum lucidum*  
(Privet, Glossy) (var: *Lake Tresca*)
- Ligustrum texanum*  
(Privet, Texas)
- Liriope muscari*  
(Liriope, Green)
- Liriope muscari*  
(Liriope, Variegated)  
(var: *Variegata*)
- Lycianthes rantonnetii*
- Mahonia aquifolium*  
(Oregon Grape)
- Murraya paniculata*  
(Jasmine, Orange)
- Myrsine africana*  
(Boxwood, African)
- Myrtus communis compacta*  
(Dwarf Myrtle)
- Nandina domestica*  
(Nandina, Heavenly Bamboo)
- Nerium oleander*  
(Oleander)
- Ochna serrulata*  
(Mickey Mouse Bush)
- Osmanthus fragrans*  
(Osmanthus, Sweet Olive)
- Osmanthus heterophyellus*  
(Osmanthus, Holly-leaf)
- Pandorea rosea*  
(Pink Trumpet Vine)
- Phormium tenax*  
(Flax, New Zealand)
- Photinia fraser*  
(Photinia, Fraser)
- Photinia* sp.  
(Photinia)

**Shrubs (continued)**  
**Listed by common name**

Pink Powder Puff  
*(Calliandra haematocephala)*  
Pittosporum, Variegated Japanese  
*(Pittosporum tobira variegata)*  
Plumbago, Cape  
*(Plumbago capensis)*  
Podocarpus, Yew  
*(Podocarpus macrophyllus)*  
Princess Flower  
*(Tibouchina urvilleana)*  
Privet  
*(Ligustrum indica)*  
Privet, Glossy (var. Lake Tresca)  
*(Ligustrum lucidum)*  
Privet, Japanese, Waxleaf  
*(Ligustrum japonicum)*  
Privet, Texas  
*(Ligustrum texanum)*  
Purple Hop Bush  
*(Dodonaea viscosa)*  
Pyracantha  
*(Pyracantha graberi)*  
Rhododendron - Azalea (var. Hinocrimson,  
Hershey Red, Coral Blue, Hinodigiri,  
Christmas Cheer, Pink Ruffle, Formosa Flame,  
Delaware Valley White, New White)  
*(Rhododendron sp.)*  
Sandcherry, Purpleleaf  
*(Prunus cistena)*  
Serviceberry, Allegheny  
*(Amelanchier laevis)*  
Serviceberry Saskatoon (var. Regent)  
*(Amelanchier alnifolia)*  
Silver King  
*(Euonymus japonica)*  
Sky Flower, Brazilian  
*(Duranta stenostachya)*  
Snowball Bush  
*(Viburnum opulus sterilis)*  
Spindle Tree  
*(Euonymus kiautschovica)*  
Spiraea  
*(Spiraea vanhouttei)*  
Spiraea (var. Anthony Waterer, Froebellii, Goldflame)  
*(Spiraea bumalda)*  
Spiraea (var. Fairy Queen)  
*(Spiraea trilobata)*  
Spiraea (var. Snowbound)  
*(Spiraea nipponica)*  
Star Plant, Lavender  
*(Grewia occidentalis)*  
Tea Tree, Australian  
*(Leptospermum laevigatum)*  
Tea Tree, New Zealand  
(var. Red Glow)  
*(Leptospermum scoparium)*  
Texas Ranger  
*(Leucophyllum frutescens)*  
Toyon, California Holly  
*(Heteromeles arbutifolia)*  
Trumpet Vine, Pink  
*(Pandorea rosea)*  
Veronica  
*(Hebe 'Coed')*  
Viburnum, Japanese  
*(Viburnum japonicum)*  
Viburnum, Sandankwa  
*(Viburnum suspensum)*

**Listed by scientific name**

*Physocarpus opulifolius nanus*  
(Ninebark) (var. Aureus)  
*Physocarpus opulifolius*  
(Ninebark)  
*Pieris japonica*  
(Andromeda)  
*Pittosporum tobira*  
(Wheelers Dwarf, variegated)  
(var. Wheller)  
*Pittosporum tobira variegata*  
(Pittosporum, Variegated Japanese)  
*Platycladus orientalis*  
(Arborvitae, Oriental)  
*Plumbago capensis*  
(Plumbago, Cape)  
*Podocarpus macrophyllus*  
(Yew, Podocarpus, Pine)  
*Prunus cistena*  
(Sandcherry, Purpleleaf)  
*Prunus tomentosa*  
(Cherry, Manchu, Nanking)  
*Pyracantha fortuneana*  
(Pyracantha, Firethorn)  
*Rhamnus frangula*  
(Buckthorn, Glossy, Alder)  
*Rhaphiolepis indica*  
(Pink Lady, Indian Hawthorn)  
*Rhododendron sp.*  
(Rhododendron - Azalea)  
(var. Hinocrimson, Hershey Red, Coral Blue,  
Hinodigiri Christmas Cheer, Pink Ruffle, Formosa  
Flame, Delaware Valley White, New White)  
*R. x kosterianum*  
(Azalea, Mollis hybrid)  
*R. x kosterianum x R. priniphyllum*  
(Azalea, Northern lights hybrid)  
*Rhus integrifolia*  
(Lemonade Berry)  
*Ribes alpinum*  
(Currant, Alpine)  
*Rose banksiae*  
(Lady Banks' Rose)  
*Sarcococca ruscifolia*  
*Simmondsia chinensis*  
(Jojoba)  
*Spiraea bumalda*  
*(Spiraea) (var. Anthony Waterer Froebellii,*  
Goldflame)  
*Spiraea nipponica tosaensis*  
*(Spiraea) (var. Snowbound)*  
*Spiraea trilobata*  
*(Spiraea) (var. Fairy Queen)*  
*Spiraea vanhouttei*  
*(Spiraea)*  
*Syringa vulgaris purpura*  
(Lilac, Common Purple)  
*Taxus cuspidata vigatum*  
(Yew)  
*Tecoma stans*  
(Yellow Bells, Yellow Trumpet Flower)  
*Tecomaria capensis*  
(Honeysuckle, Cape)  
*Temstroemia gymnanthera*  
(Temstroemia)  
*Thevetia peruviana*  
(Oleander, Yellow)  
*Tibouchina urvilleana*  
(Princess Flower)

**Shrubs (continued)**  
**Listed by common name**

- Wayfaring Tree  
(*Viburnum lantanoides*)
- Weeping Fig, Exotica  
(*Ficus benjamina*)
- Wheeler's Dwarf, Variegated  
(var: *Wheller*)  
(*Pittosporum tobira*)
- Yellow Bells  
(*Tecoma stans*)
- Yesterday-Today-and-Tomorrow  
(*Brunfelsia calycina*)
- Yew  
(*Taxus cuspidata vigatum*)

**Ornamentals, Bedding plants**  
**Listed by common name**

- Allysum  
(*Alyssum* sp.)
- Asparagus, Myers (var. *Meyeri*)  
(*Asparagus densiflorus*)
- Asparagus, Sprenger (var. *Sprengeri*)  
(*Asparagus densiflorus*)
- Aster, New York  
(*Aster novi-belgii*)
- Aster, Stokes (var: Blue, White)  
(*Stokesia cyanae*)
- Baby's Breath (var: Bristo Fairy)  
(*Gypsophila paniculata*)
- Begonia  
(*Begonia semperflorens*)
- Bellflower, Tussock (var: Canterbury Bells)  
(*Campanula carpatica*)
- Bittersweet, American  
(*Calastrus scandens*)
- Black-eyed Susan (var: Goldilocks)  
(*Rudbeckia hirta*)
- Bleeding Heart  
(*Dicentra spectabilis*)
- Butterfly Weed  
(*Asclepias tuberosa*)
- Bower Vine  
(*Pandorea jasminoides*)
- Cactus, Barrel  
(*Echinocactus* sp.)
- Candytuft  
(*Iberis sempervirens*)  
(*Iberis amara*)
- Canna  
(*Canna* sp.)
- Cassia, Feathery  
(*Cassia artemisioides*)
- Chrysanthemum, Marguarite  
(*Chrysanthemum frutescens*)
- Chrysanthemum  
(*Chrysanthemum indicum*)
- Cockscomb  
(*Celosia argentea*)  
(*Canna*)
- Coleus  
(*Coleus blumei*)

**Listed by scientific name**

- Trachelospermum asiaticum*  
(Jasmine, Asiatic)
- Trachelospermum jasminoides*  
(Jasmine, Star)
- Viburnum dentatum*  
(Arrowwood, Southern)
- Viburnum japonicum*  
(*Viburnum*, Japanese)
- Viburnum lentago*  
(Nannyberry)
- Viburnum lantanoides*  
(Wayfaring Tree)
- Viburnum opulus aureum*  
(Cranberry Bush, Golden)
- Viburnum opulus sterilis*  
(Snowball Bush)
- Viburnum suspensum*  
(*Viburnum*, Sandankwa)
- Viburnum tinus*  
(Laurustinus)
- Viburnum trilobum*  
(Cranberry Bush, American)

**Listed by common name**

- Acorus gramineus*  
(Sweet Grass)
- Achillea Millefolium*  
(Yarrow (var: Cerise Queen))
- Achillea taygetea* v.  
(Yarrow, Debutante)
- Agapanthus africanus*  
(Peter Pan, Lily of the Nile)
- Allium tuberosum*  
(Chives, Chinese, Garlic, Oriental)
- Alyssum* sp.  
(Allysum)
- Antirrhinum majus*  
(Snapdragon)
- Arenaria verna*  
(Moss Sandwort)
- Arisaemia pusillum*  
(Jack-in-the-Pulpit)
- Armeria maritima*  
(Sea Pinks, Thrift)
- Asclepias tuberosa*  
(Butterfly Weed)
- Asparagus densiflorus Sprengeri*  
(Asparagus, Sprenger)
- Asparagus densiflorus*  
(Myers Asparagus) (var: *meyeri*)
- Aster novi-belgii*  
(New York Aster)
- Begonia semperflorens*  
(Begonia)
- Bougainvillea* sp.  
(Raspberry Ice)
- Calastrus scandens*  
(Bittersweet, American)
- Campanula carpatica*  
(Bellflower, Tussock (var: Canterbury Bells))
- Canna* sp.  
(Canna)
- Capsicum* sp.  
(Pepper, Ornamental)
- Cassia artemisioides*  
(Cassia, Feathery)
- Cat'haranthus roseus*  
(Periwinkle, Madagascar)

**Ornamentals, Bedding plants (continued)**  
**Listed by common name**

Coneflower, Purple (var: Gloriosa Dairy)  
*(Echinacea purpurea)*  
 Coralbells  
*(Heuchera sanguinea)*  
 Coreopsis (var: Sunray)  
*(Coreopsis lanceolata)*  
 Cup of Gold Vine  
*(Solandra maxima)*  
 Daffodil  
*(Narcissus spp.)*  
 Dahlia  
*(Dahlia pinnata)*  
 Daisy Bush  
*(Euryops pectinatus)*  
 Daisy Bush, Blue  
*(Felicia amellioides)*  
 Daisy, Shasta (var: Alaska)  
*(Chrysanthemum maximum)*  
 Daylily  
*(Hemerocallis hybrids)*  
 Dianthus  
*(Dianthus deltoides)*  
 Dragonhead, False  
*(Physostegia virginiana)*  
 Dusty Miller  
*(Centaurea cineraria)*  
 Fem, Sprenger Asparagus  
*(Asparagus densiflorus Sprengerii)*  
 Fescue, Blue  
*(Festuca ovina)*  
 Flowering tobacco  
*(Nicotiana sp.)*  
 Fountain Grass, Red  
*(Pennisetum setaceum)*  
 Gazania  
*(Gazania ringens leucolaena)*  
 Gazania  
*(Gazania sp.)*  
 Geranium  
*(Geranium sp.)*  
 Geranium, Martha Washington  
*(Pelargonium domesticum)*  
 Gerbera Daisy  
*(Gerbera jamesonii)*  
 Geum (var: Lady Strathedon, Mrs. Bradshaw,  
 Mrs. Bradshaw Improved)  
*(Geum quellyon)*  
 Gladiolus  
*(Gladiolus sp.)*  
 Heather, False  
*(Cuphea hyssopifolia)*  
 Honeysuckle, Amar  
*(Lonicera maachii)*  
 Honeysuckle, Fly  
 (var: Emerald Mound, Clavey's Dwarf)  
*(Lonicera xylosteum)*  
 Honeysuckle, Japanese  
*(Lonicera japonica)*  
 Honeysuckle, Morrow  
*(Lonicera morrowii)*  
 Honeysuckle, Tatarian (var: Zabeli)  
*(Lonicera tatarica)*  
 Hopseed Bush, Purple  
 (var: Purpurea)  
*(Dodonaea viscosa)*  
 Impatiens  
*(Impatiens sp.)*  
 Iris  
*(Iris sp.)*

**Listed by scientific name**

*Ceanothus griseus*  
 (Lilac, Mountain)  
*Celosia argentea*  
 (Cockscomb)  
*Centaurea cineraria*  
 (Dusty Miller)  
*Chrysanthemum frutescens*  
 (Chrysanthemum, Marguerite)  
*Chrysanthemum indicum*  
 (Chrysanthemum)  
*Chrysanthemum maximum*  
 (Daisy, Shasta)  
*Cissus rhombifolia*  
 (Ivy, Grape)  
 (var: Ellen Danica)  
*Clytostoma callistegioides*  
 (Trumpet Vine, Lavender)  
*Coleus blumei*  
 (Coleus)  
*Convallaria majalis*  
 (Lily-of-the-Valley)  
*Coprosma baurei*  
 (Mirror Plant)  
*Coprosma repens*  
 (Mirror Plant, Variegated)  
*Coreopsis lanceolata*  
 (Coreopsis (var: Sunray))  
*Crassula argentea*  
 (Jade Plant)  
*Cuphea hyssopifolia*  
 (Heather, False)  
*Dahlia pinnata*  
 (Dahlia)  
*Dianthus barbatus*  
 (Sweet William)  
*Dianthus deltoides*  
 (Dianthus)  
*Dicentra spectabilis*  
 (Bleeding Heart)  
*Dietes bicolor*  
 (Iris, African)  
*Distictis buccinatoria*  
 (Trumpet Vine, Blood Red)  
*Dodonaea viscosa*  
 (Hopseed Bush)  
 (var: Purpurea)  
*Echinocactus sp.*  
 (Cactus, Barrel)  
*Echinacea purpurea*  
 (Coneflower, Purple (var: Gloriosa Dairy))  
*Euryops pectinatus*  
 (Daisy Bush)  
*Felicia amellioides*  
 (Daisy Bush, Blue)  
*Festuca ovina glauca*  
 (Fescue, Blue)  
*Gazania sp.*  
 (Gazania)  
*Gazania ringens leucolaena*  
 (Gazania)  
*Geranium sp.*  
 (Geranium)  
*Gerbera jamesonii*  
 (Daisy, Gerbera, Transvaal)  
*Geum quellyon*  
 (Geum (var: Lady Strathedon, Mrs. Bradshaw,  
 Mrs. Bradshaw Improved))  
*Gladiolus sp.*  
 (Gladiolus)

**Ornamentals, Bedding plants (continued)**  
**Listed by common name**

Iris, African  
 (*Dietes bicolor*)  
 Ivy, Grape  
 (var: *Ellen Danica*)  
 (*Cissus rhombifolia*)  
 Jack-in-the-Pulpit  
 (*Arisaemia pusillum*)  
 Mrs. Bradshaw Improved))  
 Jade Plant  
 (*Crassula argentea*)  
 Jasmine, Madagascar  
 (*Stephanotis floribunda*)  
 Lamb's Ear  
 (*Stachys lanata*)  
 Lavender, English  
 (*Lavandula vera*)  
 Lavender, French  
 (*Lavandula dentata*)  
 Lavender, Cotton  
 (*Santolina chamaecyparissus*)  
 Lilac, Chinese  
 (*Syringa chinensis*)  
 Lilac, Common Purple  
 (var: *Charles Joly*, *Ludwig Spaeth*, *Jay Tree*)  
 (*Syringa vulgaris purpurpa*)  
 Lilac, Meyer (var: *Palibin*)  
 (*Syringa* sp.)  
 Lilac, Korean  
 (var: *Miss Kim*)  
 (*Syringa patula*)  
 Lilac, Mountain  
 (*Ceanothus griseus*)  
 Lily-of-the-Nile, Peter Pan  
 (*Agapanthus africanus*)  
 Lily-of-the-Valley  
 (*Convallaria majalis*)  
 Lobelia  
 (*Lobelia erinus*)  
 Marigold  
 (*Tagetes* sp.)  
 Mirror Plant  
 (*Coprosma baueri*)  
 Mirror Plant, Variegated  
 (*Coprosma repens*)  
 Moneywort, Creeping Jenny  
 (*Lysimachia nummularia*)  
 Moss, Rose  
 (*Portulaca grandiflora*)  
 Moss, Sandwort  
 (*Arenaria verna*)  
 Pansy, Johnny-Jump-Up  
 (*Viola tricolor*)  
 Pepper, Ornamental  
 (*Capsicum* sp.)  
 Periwinkle, Madagascar  
 (*Catharanthus roseus*)  
 Periwinkle  
 (*Vinca minor*)  
 Petunia  
 (*Petunia* sp.)  
 Phlox, Perennial  
 (*Phlox paniculata*)  
 Plantain Lily  
 (*Hosta* sp.)  
 Purple Loosestrife  
 (var: *Morden's Gleam*)  
 (*Lythrum virgatum*)

**Listed by scientific name**

*Gypsophila paniculata*  
 (Baby's Breath (var: Bristo Fairy))  
*Hardenbergia violacea*  
*Hemerocallis Hybrids*  
 (Daylily)  
*Heuchera sanguinea*  
 (Coralbells)  
*Hosta* sp.  
 (Lily, Plantain)  
*Iberis amara*  
 (Candytuft)  
*Iberis sempervirens*  
 (Candytuft)  
*Impatiens* sp.  
 (Impatiens)  
*Iris* sp.  
 (Iris)  
*Justicia brandegeana*  
 (Shrimp Plant)  
*Lavandula dentata*  
 (Lavender, French)  
*Lavandula vera*  
 (Lavender, English)  
*Limonium perezii*  
 (Statice, Perennial)  
*Lobelia erinus*  
 (Lobelia)  
*Lonicera japonica*  
 (Honeysuckle, Japanese)  
*Lonicera maachii*  
 (Honeysuckle, Amar)  
*Lonicera morrowii*  
 (Honeysuckle, Morrow)  
*Lonicera tatarica*  
 (Honeysuckle, Tatarian) (var: *Zabeli*)  
*Lonicera xylosteum*  
 (Honeysuckle, Fly)  
 (var: *Emerald Mound*, *Clavey's Dwarf*)  
*Lysimachia nummularia*  
 (Moneywort, Creeping Jenny)  
*Lythrum virgatum*  
 (Loosestrife, Purple)  
 (var: *Morden's Gleam*)  
*Macfadyena unguis-cati*  
 (Yellow Trumpet)  
*Mattiola incana*  
 (Stock)  
*Narcissus* spp.  
 (Daffodil)  
*Nicotiana* sp.  
 (Tobacco, Flowering)  
*Pandorea jasminoides*  
 (Vine, Bower)  
*Pandorea rosea*  
 (Pink Trumpet Vine)  
*Pelargonium domesticum*  
 (Geranium, Martha Washington)  
*Pennisetum setaceum*  
 (Fountain Grass, Red)  
*Petunia* sp.  
 (Petunia)  
*Phlox paniculata*  
 (Phlox, Perennial)  
*Portulaca grandiflora*  
 (Moss Rose)  
*Physostegia virginiana*  
 (Dragonhead, False)

14/17

**Ornamentals, Bedding plants (continued)**  
**Listed by common name**

- Raspberry Ice  
(*Bougainvillea* sp.)
- Sage  
(*Salvia greggii*)
- Sea Pinks, Thrift  
(*Armeria maritima*)
- Sedum, Stonecrop  
(*Sedum x rubrotinctum*)  
(Lavender cotton)
- Shrimp Plant  
(*Justicia brandegeana*)
- Sky Flower, Brazilian  
(*Duranta stenostachya*)
- Snail Vine  
(*Vigna caracalla*)
- Snapdragon  
(*Antirrhinum majus*)
- Speedwell, Spike  
(*Veronica spicata*)
- Statice, Perennial  
(*Limonium perezii*)
- Stock  
(*Mattiola incana*)
- Sweet Grass  
(*Acorus gramineus*)
- Sweet William  
(*Dianthus barbatus*)
- Transvaal Daisy  
(*Gerbera jamesonii*)
- Trumpet Vine, Blood red  
(*Distictis buccinatoria*)
- Trumpet Vine, Lavender  
(*Clytostoma callistegioides*)
- Trumpet Vine, Pink  
(*Pandorea rosea*)
- Tulip  
(*Tulipa* spp.)
- Verbena  
(*Verbena* sp.)
- Wandering Jew  
(*Tradescantia* sp.)
- Wisteria  
(*Wisteria sinensis*)
- Yarrow (var: Cerise Queen)  
(*Achillea Millefolium*)
- Yarrow, Debutante  
(*Achillea taygetea* v.)
- Yellow Trumpet  
(*Macfadyena unguis-cati*)
- Zinnia  
(*Zinnia elegans*)

**Ground covers**  
**Listed by common name**

- Aaron's Beard  
(*Hypericum calycinum*)
- Aptenia (var: Red Apple)  
(*Aptenia cordifolia*)
- Bergenia, Winter-blooming  
(*Bergenia crassifolia*)
- Bugleweed  
(*Ajuga reptans*)
- Capeweed  
(*Arctotheca calendula*)
- Carpathian, Harebell  
(*Campanula carpatica*)

**Listed by scientific name**

- Rudbeckia hirta*  
(Black-eyed Susan (var: Goldilocks))
- Salvia greggii*  
(Sage)
- Santolina chamaecyparissus*
- Sedum x rubrotinctum*  
(Sedum, Stonecrop)
- Solandra maxima*  
(Cup of Gold Vine)
- Stachys lanata*  
(Lamb's Ear)
- Stephanotis floribunda*  
(Jasmine, Madagascar)
- Stokesia cyanaea*  
(Aster, Stokes (var: Blue, White))
- Syringa chinensis*  
(Lilac, Chinese)
- Syringa patula*  
(Lilac, Korean)  
(var: Miss Kim)
- Syringa* sp.  
(Lilac, Meyer)  
(var: Palibin)
- Syringa vulgaris purpurpa* (Lilac, Common Purple)  
(var: Charles Joly, Ludwig Spaeth, Jay Tree)
- Tagetes* sp.  
(Marigold)
- Tulipa* spp.  
(Tulip)
- Tradescantia* sp.  
(Wandering Jew)
- Verbena* sp.  
(Verbena)
- Veronica spicata*  
(Spike Speedwell)
- Vinca minor*  
(Periwinkle)
- Vigna caracalla*  
(Snail Vine)
- Viola tricolor*  
(Pansy, Johnny-Jump-Up)
- Wisteria sinensis*  
(Wisteria)
- Zinnia elegans*  
(Zinnia)

**Listed by scientific name**

- Ajuga reptans*  
(Bugleweed)
- Aptenia cordifolia*  
(Aptenia) (var: Red Apple)
- Arctotheca calendula*  
(Capeweed)
- Baccharis pilularis*  
(Coyote Brush) (var: Twin Peaks)
- Bergenia crassifolia*  
(Bergenia, Winter-blooming)
- Calocephalus brownii*  
(Cushion bush)

**Ground covers (continued)**  
**Listed by common name**

Cinquefoil, Spring  
*(Potentilla tabernaemontanii)*  
 Coyote brush (var. Twin Peaks)  
*(Baccharis pilularis)*  
 Crownvetch  
*(Coronilla varia)*  
 Cushion Bush  
*(Calocephalus brownii)*  
 Daisy, Trailing African, Freeway  
*(Osteospermum)*  
 Daisy, White African  
*(Osteospermum fruticosum alba)*  
 Gazania, Trailing  
*(Gazania regens leucolaena)*  
 Green Carpet  
*(Hemiaria glabra)*  
 Ivy, Algerian  
*(Hedera canariensis)*  
 Ivy, Boston  
*(Parthenocissus tricuspidata)*  
 Ivy, English  
*(Hedera helix) (var. California)*  
 Ivy, Grape  
*(var. Ellen Danica)*  
*(Cissus rhombifolia)*  
 Ivy, Hahn's (var. Hahnii)  
*(Hedera helix)*  
 Lantana, Lavender  
*(Lantana montevidensis)*  
 Lily-turf, Big Blue  
*(Liriope muscari)*  
 Lippia  
*(Phyla nodiflora)*  
 Mondo Grass  
*(Ophiopogon japonicus)*  
 Myoporum (var. Prostratum)  
*(Myoporum parvifolium)*  
 Pachysandra  
*(Pachysandra terminalis)*  
 Periwinkle  
*(Vinca major)*  
 Plumbago, Dwarf  
*(Ceratostigma plumbaginoides)*  
 Pork and Beans  
*(Sedum rubrotinctum)*  
 Rosea Ice Plant  
*(Drosanthemum floribundum)*  
 Rosemary, Dwarf (var. Prostratus)  
*(Rosmarinus officinalis)*  
 Rupture Wort  
*(Hemiaria glabra)*  
 St. Johnswort, Creeping  
*(Hypericum calycinum)*  
 Stonecrop, Sedum  
*(Sedum rubrotinctum)*  
 Verbena  
*(Verbena officinalis)*  
 Verbena, Blue  
*(Verbena peruviana)*

**Listed by scientific name**

*Campanula carpatica*  
 (Harebell, Carpathian)  
*Ceratostigma plumbaginoides*  
 (Plumbago, Dwarf)  
*Cissus rhombifolia*  
 (Ivy, Grape) (var: Ellen Danica)  
*Coronilla varia*  
 (Crownvetch)  
*Drosanthemum floribundum*  
 (Rosea Ice Plant)  
*Gazania regens leucolaena*  
 (Gazania, Trailing)  
*Hedera helix*  
 (Ivy, English) (var: California)  
 (Hahn's Ivy) (var: Hahnii)  
*Hemiaria glabra*  
 (Green Carpet, Rupture Wort)  
*Hypericum calycinum*  
 (Creeping St. Johnswort, Aaron's Beard)  
*Juniperus scopulorum*  
*Lantana montevidensis*  
 (Lavender, Lantana)  
*Liriope muscari*  
 (Lily-turf, Big Blue)  
*Myoporum parvifolium*  
 (Myoporum) (var: Prostratum)  
*Ophiopogon japonicus*  
 (Mondo Grass)  
*Osteospermum fruticosum*  
 (Daisy, Trailing African, Freeway)  
*Osteospermum fruticosum alba*  
 (Daisy, White African)  
*Pachysandra terminalis*  
 (Pachysandra)  
*Parthenocissus tricuspidata*  
 (Ivy, Boston)  
*Phyla nodiflora*  
 (Lippia)  
*Potentilla cinerea*  
*Potentilla tabernaemontanii*  
 (Cinquefoil, Spring)  
*Rosmarinus officinalis*  
 (Dwarf Rosemary) (var: Prostratus)  
*Sedum rubrotinctum*  
 (Stonecrop, Sedum, Pork & Beans)  
*Verbena officinalis*  
 (Verbena)  
*Verbena peruviana*  
 (Blue Verbena)  
*Vinca major*  
 (Periwinkle, Myrtle)



**Conditions of Sale and Warranty**

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. All such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.** IN NO CASE SHALL BASF OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

*Poast is a registered trademark of BASF AG.*

*The Specialty Products Logo is a registered trademark of BASF Corporation.*